

After surgery on a broken collarbone, shoulder or upper arm

After surgery on a broken bone




Count the weeks from the day of your operation. The date is on your discharge card.

If your doctor wrote a different plan on your prescription, follow that instead of this page.

Weeks 0–2

Rest the arm in the sling, and keep the hand, wrist and elbow moving from the first day. Take the arm out of the sling for the exercises, unless we tell you otherwise.

Arm use Sling on most of the day, and at night if it is more comfortable. Light use of the hand for eating and writing. No lifting.



Composite fist


Make a full fist slowly, then open fully.

10 times

Every hour while awake

✓ Should feel
Full movement

✗ Should not feel
Catching that hurts



Wrist circles

Slow circles in both directions.

10 each way

3 times a day

✓ Should feel
Free movement

✗ Should not feel
Pain over the lump




Scan for this sheet

Listen to it read aloud, in English, हिंदी or मराठी — or ask for
sheet 80

Nallasopara West 87665 22099 · 12–2 pm, 7.30–9.30 pm

Virar East 92702 84859 · 5.30–7.30 pm

Monday to Saturday · Sunday by prior appointment only



Elbow bend and straighten

Sit with the arm by your side. Bend the elbow slowly as far as it goes, bringing the hand up, then straighten it fully.

10 times

3 times a day

✓ Should feel

A gentle stretch at the front or back of the elbow

✗ Should not feel

Sharp pain



Pendulum swing

Lean forward, let the arm hang. Swing it gently in circles using your body, not the shoulder.

1 minute

4 times a day

✓ Should feel

The shoulder loosening

✗ Should not feel

Sharp pain



Shoulder blade squeeze

Squeeze the shoulder blades together and down.

10 times

3 times a day

✓ Should feel

Between the shoulder blades

✗ Should not feel

The shoulders lifting

Not yet Lifting the elbow above shoulder height, lifting or pushing anything, or driving.

Move to the next stage only after we have seen you, and the X-ray if one was planned.



Scan for this sheet

Listen to it read aloud, in English, हिंदी or मराठी — or ask for sheet 80

Nallasopara West 87665 22099 · 12–2 pm, 7.30–9.30 pm

Virar East 92702 84859 · 5.30–7.30 pm

Monday to Saturday · Sunday by prior appointment only

Weeks 2–6

Stitches out. Start moving the shoulder gently, using the other arm or a table to help. Carry on with the earlier exercises.

Arm use Sling off at home as comfort allows. Light tasks at waist level. Nothing heavier than a full glass of water.



Table slide

Sit at a table, slide the hand forward, letting the body follow.

10 times

3 times a day

✓ **Should feel**

A stretch at the end of the range

✗ **Should not feel**

Pinching at the top



Stick-assisted external rotation

Hold a stick with both hands, elbow tucked in, and push the affected arm outwards.

10 times


3 times a day

✓ **Should feel**

A stretch at the front of the shoulder

✗ **Should not feel**

Sharp pain



Wall climb

Face a wall, walk the fingers up as high as comfortable, hold, then walk down.

5 times

3 times a day

✓ **Should feel**

A stretch overhead

✗ **Should not feel**

Shrugging to cheat height

Not yet Lifting, carrying bags, or forcing the arm behind your back.

Move to the next stage only after we have seen you, and the X-ray if one was planned.



Scan for this sheet

Listen to it read aloud, in English, हिंदी or मराठी — or ask for
sheet 80

Nallasopara West 87665 22099 · 12–2 pm, 7.30–9.30 pm

Virar East 92702 84859 · 5.30–7.30 pm

Monday to Saturday · Sunday by prior appointment only

Weeks 6–12

Sling off. Get full movement back and start strengthening, as the X-ray shows healing. Carry on with the earlier exercises.

Arm use Normal light use. Lift heavier things a little at a time as the strength comes back.



Towel internal rotation

Hold a towel behind your back and gently pull the lower hand up.

Hold 15 seconds

5 times

✓ **Should feel**

A stretch at the front

✗ **Should not feel**

Pinching



Cross-body stretch

Pull the arm across your chest with the other hand.

Hold 20 seconds

5 times

✓ **Should feel**

A stretch at the back of the shoulder

✗ **Should not feel**

Pain in the front



Isometric external rotation

Stand beside a wall, elbow bent and tucked in, press the back of the hand into the wall without moving.

Hold 10 seconds

10 times

✓ **Should feel**

The muscle working

✗ **Should not feel**

Sharp pain




Scan for this sheet

Listen to it read aloud, in English, हिंदी or मराठी — or ask for
sheet 80

Nallasopara West 87665 22099 · 12–2 pm, 7.30–9.30 pm

Virar East 92702 84859 · 5.30–7.30 pm

Monday to Saturday · Sunday by prior appointment only



Band row

Pull a band back, squeezing the shoulder blades together.

12 times

Once a day

✓ Should feel

The shoulder blade muscles working

✗ Should not feel

Shrugging

Not yet Heavy lifting, push-ups, or lifting weights above the head.

Move to the next stage only after we have seen you, and the X-ray if one was planned.



Scan for this sheet

Listen to it read aloud, in English, हिंदी or मराठी — or ask for

sheet 80

Nallasopara West 87665 22099 · 12–2 pm, 7.30–9.30 pm


Virar East 92702 84859 · 5.30–7.30 pm

Monday to Saturday · Sunday by prior appointment only

Week 12 onwards

Back to work and sport, as the X-ray shows. Carry on with the third-stage exercises.

Arm use Full.



Band row

Pull a band back, squeezing the shoulder blades together.

12 times

Once a day

✓ Should feel

The shoulder blade muscles working

✗ Should not feel

Shrugging



Isometric external rotation

Stand beside a wall, elbow bent and tucked in, press the back of the hand into the wall without moving.

Hold 10 seconds

10 times

✓ Should feel

The muscle working

✗ Should not feel

Sharp pain

Not yet Contact sport or heavy overhead work until we clear you.

Stop and telephone us if

- Sudden breathlessness or chest pain — go to the nearest hospital
- Pain that keeps getting worse despite the painkillers
- The hand becomes numb, cold, pale or blue
- You cannot lift the wrist or straighten the fingers
- Wound redness, discharge or fever
- A new snap, or the arm suddenly changes shape



Scan for this sheet

Listen to it read aloud, in English, हिंदी or मराठी — or ask for
sheet 80

Nallasopara West 87665 22099 · 12–2 pm, 7.30–9.30 pm

Virar East 92702 84859 · 5.30–7.30 pm

Monday to Saturday · Sunday by prior appointment only